

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : Rubio Monocoat Disinfectant Spray
UFI : Q7A0-C0PN-R00M-JDW4

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public
Main use category : Consumer use, Professional use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Muylle Facon B.V.B.A. - Rubio Monocoat
Ambachtenstraat 58
8870 Izegem - Belgium
T +32 (0) 51 30 80 54 - F +32 (0) 51 30 99 78
info@rubiomonocoat.com - www.rubiomonocoat.com

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2 H225
Serious eye damage/eye irritation, Category 2 H319
Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS07

CLP Signal word :

Danger

Hazard statements (CLP) :

H225 - Highly flammable liquid and vapour.
H319 - Causes serious eye irritation.

Rubio Monocoat Disinfectant Spray

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP) : P102 - Keep out of reach of children.
P210 - Keep away from heat, hot surfaces, open flames, sparks. No smoking.
P233 - Keep container tightly closed.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethanol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43	> 75	Flam. Liq. 2, H225 Eye Irrit. 2, H319

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If medical advice is needed, have product container or label at hand.
First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.
First-aid measures after skin contact : IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation persists, take medical advice.
First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Take victim to an ophthalmologist if irritation persists.
First-aid measures after ingestion : Do NOT induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : If you feel unwell, seek medical advice.
Symptoms/effects after inhalation : Inhalation may cause: irritation, cough, short breathing. May cause headache and dizziness. May cause drowsiness or dizziness. Obtain medical attention if breathing difficulty persists.
Symptoms/effects after skin contact : Remove all contaminated clothing and footwear. IF ON SKIN: Wash with plenty of soap and water. Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact : Irritating to eyes. Rinse immediately with plenty of water for 15 minutes. Consult a doctor.
Symptoms/effects after ingestion : Swallowing of this material presents health hazard. Seek a medical assistance, even if there are no immediate symptoms. May cause lung damage if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Rubio Monocoat Disinfectant Spray

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : hazy water, carbon dioxide (CO₂), foam and powder.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Heating may cause a fire or explosion. This product is flammable.
Explosion hazard : May form flammable/explosive vapour-air mixture.

5.3. Advice for firefighters

- Precautionary measures fire : Evacuate area.
Firefighting instructions : Eliminate all ignition sources if safe to do so. Fight fire remotely due to the risk of explosion. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting : Self-contained breathing apparatus. Complete protective clothing. Do not attempt to take action without suitable protective equipment.
Other information : Use water spray or fog for cooling exposed containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Eliminate every possible source of ignition. No naked flames, sparks, and do not smoke.

6.1.1. For non-emergency personnel

- Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene. Do not get in eyes, on skin, or on clothing. Notify police and fire brigade as soon as possible.

6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection. Do not attempt to take action without suitable protective equipment.
Emergency procedures : Ventilate area.

6.2. Environmental precautions

Notify authorities if liquid enters sewers or public waters. Collect spillage.

6.3. Methods and material for containment and cleaning up

- For containment : Collect spillage.
Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Use only outdoors or in a well-ventilated area. Eliminate all ignition sources if safe to do so. Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Take precautionary measures against static discharge.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Use only non-sparking tools. Take precautionary measures against static discharge.
Storage conditions : Keep cool. Store in a well-ventilated place. Keep container tightly closed.

Rubio Monocoat Disinfectant Spray

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Storage area : Store away from direct sunlight or other heat sources.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Ethanol (64-17-5)	
Belgium - Occupational Exposure Limits	
Limit value [mg/m ³]	1907 mg/m ³
Limit value [ppm]	1000 ppm
France - Occupational Exposure Limits	
VME [mg/m ³]	1900 mg/m ³
VME [ppm]	1000 ppm
VLE [mg/m ³]	9500 mg/m ³
VLE [ppm]	5000 ppm
Netherlands - Occupational Exposure Limits	
Grenswaarde TGG 8H (mg/m ³)	260 mg/m ³
Grenswaarde TGG 8H (ppm)	136 ppm
Grenswaarde TGG 15MIN (mg/m ³)	1900 mg/m ³
Grenswaarde TGG 15MIN (ppm)	992 ppm
United Kingdom - Occupational Exposure Limits	
WEL TWA (mg/m ³)	1920 mg/m ³
WEL TWA (ppm)	1000 ppm
Switzerland - Occupational Exposure Limits	
VME [mg/m ³]	960 mg/m ³
VLE [mg/m ³]	1920 mg/m ³

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Protective goggles.

Rubio Monocoat Disinfectant Spray

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

No additional information available

8.2.2.3. Respiratory protection

No additional information available

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Consumer exposure controls:

Avoid contact during pregnancy/while nursing.

Other information:

Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: gel.
Colour	: transparent.
Odour	: alcohol odour.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: ≈ 78 °C
Flash point	: ≈ 12 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 0,85 kg/l
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

VOC content : 76 %

Rubio Monocoat Disinfectant Spray

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 10: Stability and reactivity

10.1. Reactivity

Heating may cause a fire or explosion. Highly flammable liquid and vapour.

10.2. Chemical stability

Combustible liquid.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

All heat sources, including direct sunlight. No flames, no sparks. Eliminate all sources of ignition. Avoid shock and friction.

10.5. Incompatible materials

bases. Acids. oxidizing agents.

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Additional information	: Swallowing the liquid may cause aspiration into the lungs with the risk of chemical pneumonitis Disturbances of consciousness Effects of skin contact may include : redness

Ethanol (64-17-5)	
LD50 oral rat	10470 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat (Vapours)	51-124,7

Skin corrosion/irritation	: Not classified
Additional information	: Effects of skin contact may include : redness
Serious eye damage/irritation	: Causes serious eye irritation.
Additional information	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Additional information	: Disturbances of consciousness

Rubio Monocoat Disinfectant Spray

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

Ethanol (64-17-5)

LC50 fish 1	13000 mg/kg (Pimephales promelas, 96h)
EC50 Daphnia 1	12340 mg/l (Daphnia Magna, 48h)
EC50 other aquatic organisms 1	275 mg/l (Algae: Chlorella vulgaris, 72h)

12.2. Persistence and degradability

Ethanol (64-17-5)

Persistence and degradability : Readily biodegradable.

12.3. Bioaccumulative potential

Ethanol (64-17-5)

Bioaccumulative potential : No bioaccumulation.

12.4. Mobility in soil

Ethanol (64-17-5)

Ecology - soil : No data available.

12.5. Results of PBT and vPvB assessment

Rubio Monocoat Disinfectant Spray

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Component

Ethanol (64-17-5) : This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Discharging into rivers and drains is forbidden. Dispose of in accordance with relevant local regulations.

Additional information : Flammable vapours may accumulate in the container. Clean up even minor leaks or spills if possible without unnecessary risk.

Ecology - waste materials : Avoid release to the environment.

European List of Waste (LoW) code : 14 06 03* - other solvents and solvent mixtures

Rubio Monocoat Disinfectant Spray

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1 UN number

UN-No.	: UN 1987
UN-No. (IMDG)	: UN 1987
UN-No. (ICAO)	: UN 1987
UN-No. (ADN)	: UN 1987
UN-No. (RID)	: UN 1987

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: ALCOHOLS, N.O.S.
Proper Shipping Name (IMDG)	: ALCOHOLS, N.O.S.
Proper Shipping Name (IATA)	: Alcohols, n.o.s.
Proper Shipping Name (ADN)	: ALCOHOLS, N.O.S.
Proper Shipping Name (RID)	: ALCOHOLS, N.O.S.
Transport document description (ADR)	: UN 1987 ALCOHOLS, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL);ETHANOL (ETHYL ALCOHOL)), 3, II, (D/E)
Transport document description (IMDG)	: UN 1987 ALCOHOLS, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL);ETHANOL (ETHYL ALCOHOL)), 3, II
Transport document description (IATA)	: UN 1987 Alcohols, n.o.s. (ISOPROPANOL (ISOPROPYL ALCOHOL);ETHANOL (ETHYL ALCOHOL)), 3, II
Transport document description (ADN)	: UN 1987 ALCOHOLS, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL);ETHANOL (ETHYL ALCOHOL)), 3, II
Transport document description (RID)	: UN 1987 ALCOHOLS, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL);ETHANOL (ETHYL ALCOHOL)), 3, II

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	: 3
Danger labels (UN)	: 3



IMDG

Transport hazard class(es) (IMDG)	: 3
Danger labels (IMDG)	: 3



IATA

Transport hazard class(es) (IATA)	: 3
Danger labels (ICAO)	: 3



ADN

Transport hazard class(es) (ADN)	: 3
----------------------------------	-----

Rubio Monocoat Disinfectant Spray

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Danger labels (ADN) : 3



RID

Transport hazard class(es) (RID) : 3

Danger labels (RID) : 3



14.4. Packing group

Packing group (ADR) : II

Packing group (IMDG) : II

Packing group (IATA) : II

Packing group (ADN) : II

Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : F1

Special provisions (ADR) : 274, 601, 640D

Limited quantities (ADR) : 1I

Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02, R001

Mixed packing provisions (ADR) : MP19

Portable tank and bulk container instructions (ADR) : T7

Portable tank and bulk container special provisions (ADR) : TP1, TP8, TP28

Tank code (ADR) : LGBF

Vehicle for tank carriage : FL

Transport category (ADR) : 2

Special provisions for carriage - Operation (ADR) : S2, S20

Hazard identification number (Kemler No.) : 33

Orange plates :

Tunnel restriction code (ADR) : D/E

EAC code : •3YE

Transport by sea

Special provisions (IMDG) : 274

Limited quantities (IMDG) : 1 L

Excepted quantities (IMDG) : E2

Packing instructions (IMDG) : P001

IBC packing instructions (IMDG) : IBC02

Tank instructions (IMDG) : T7

Tank special provisions (IMDG) : TP1, TP8, TP28

EmS-No. (Fire) : F-E

EmS-No. (Spillage) : S-D

Rubio Monocoat Disinfectant Spray

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Stowage category (IMDG)	: B
Air transport	
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 353
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3, A180
ERG code (IATA)	: 3L

Inland waterway transport

Classification code (ADN)	: F1
Special provisions (ADN)	: 274, 601, 640D
Limited quantities (ADN)	: 1 L
Excepted quantities (ADN)	: E2
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 1

Rail transport

Classification code (RID)	: F1
Special provisions (RID)	: 274, 601, 640D
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T7
Portable tank and bulk container special provisions (RID)	: TP1, TP8, TP28
Tank codes for RID tanks (RID)	: LGBF
Transport category (RID)	: 2
Colis express (express parcels) (RID)	: CE7
Hazard identification number (RID)	: 33

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:	
Reference code	Applicable on
3(a)	Rubio Monocoat Disinfectant Spray ; Ethanol
3(b)	Rubio Monocoat Disinfectant Spray ; Ethanol
40.	Ethanol

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content : 76 %

Rubio Monocoat Disinfectant Spray

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

15.1.2. National regulations

France

Occupational diseases

Code	Description
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

Germany

Employment restrictions	: Observe restrictions according Act on the Protection of Working Mothers (MuSchG) Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)
Water hazard class (WGK)	: WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen	: Ethanol is listed
SZW-lijst van mutagene stoffen	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: Ethanol is listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: Ethanol is listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: Ethanol is listed

Denmark

Classification remarks	: Emergency management guidelines for the storage of flammable liquids must be followed
------------------------	---

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.